

Table 1. 2005-2008 Drilling Highlights

Hole ID	UTM E	UTM N	Azm (°)	Dip (°)	From (m)	To (m)	Width (m)	Gold (g/t)	Silver (g/t)
2005									
TAN05-01	509243	6636936			49.60	51.20	1.60	7.36	102.81
TAN05-02	509320	6636977			40.30	45.80	5.50	10.73	104.20
<i>incl.</i>					44.10	45.80	1.70	29.94	135.00
TAN05-03	509300	6637014			35.80	41.00	5.20	7.90	12.90
<i>incl.</i>					37.50	39.90	2.40	16.03	24.75
					71.00	79.03	8.30	2.10	8.87
<i>incl.</i>					74.00	75.00	1.00	7.97	8.11
2006									
TAN06-04	509235	6636967			84.45	87.58	3.10	1.58	25.4
2008									
TAN08-05	6637037	509375	165	-45	156.48	157.78	1.30	1.61	N/A
TAN08-08	6637005	509226	165	-45	86.94	88.38	1.44	1.42	11.9
TAN08-08					143.39	143.79	0.40	2.53	38.0
TAN08-08					197.82	199.16	1.34	3.07	12.0
TAN08-08					199.16	225.25	26.09	0.103	N/A
TAN08-09	6637005	509226	165	-60	131.30	136.39	5.09	7.93	23.8
<i>including</i>					132.84	133.14	0.30	3.85	31.0
<i>and</i>					134.70	135.27	0.57	66.20	145.0
TAN08-09					211.59	212.22	0.63	3.30	57.0
TAN08-09					212.22	246.58	34.36	0.067	N/A
TAN08-10	6636928	509241	165	-45	15.24	15.54	0.30	1.94	5.0
TAN08-10					40.17	44.47	4.30	2.05	43.8
<i>including</i>					42.17	43.17	1.00	5.01	108.0
TAN08-10					67.59	67.89	0.30	11.05	14.0
TAN08-10					108.21	108.51	0.30	1.14	65.0
TAN08-10					191.52	191.82	0.30	1.27	6.0
TAN08-11	6637009	509385	165	-45	114.62	115.02	0.40	1.96	<1
TAN08-11					116.02	116.32	0.30	1.21	<1
TAN08-12	6636975	509422	135	-45	32.44	32.74	0.30	13.15	12.0
TAN08-12					38.05	41.15	3.10	0.97	N/A
<i>including</i>					38.99	40.22	1.23	1.70	N/A
TAN08-13	6636975	509422	135	-60	43.29	43.69	0.40	3.93	6.0
TAN08-13					48.34	50.18	1.84	0.70	13.3
TAN08-15	6637063	509287	165	-55	219.58	225.81	6.23	0.35	5.9
TAN08-16	6636956	509178	165	-45	13.89	18.08	4.19	0.60	N/A
<i>including</i>					13.89	15.74	1.85	1.06	14.9
TAN08-16					25.94	26.82	0.88	2.04	14.0
TAN08-16					143.11	156.25	13.14	0.19	N/A

Note: Widths represent downhole core lengths; true widths cannot be reliably estimated at this time.